

CTC-10G MEDICATED

For Beef and Swine

The medicated claims for this product are listed in the feeding directions on the tag.

ACTIVE DRUG INGREDIENT

Chlortetracycline (20,000 g/ton) 10 g/lb

GUARANTEED ANALYSIS

Crude Protein	not less than	12.5	%
Crude Fat	not less than	1.5	%
Crude Fiber	not more than	20.0	%

INGREDIENTS

Roughage Products, Calcium Carbonate, Processed Grain Byproducts, and Molasses Products.

FEEDING DIRECTIONS

CTC-10G MEDICATED is designed to be fed as a top dress or thoroughly mixed in a ration to medicate feed with chlortetracycline.

Chlortetracycline
Dosage
10 mg/lb of bodyweight

CTC-10G MEDICATED
lbs/head/day
1 (One) pound per 1,000 pounds of
bodyweight

CALVES, BEEF AND NON-LACTATING DAIRY CATTLE:

For the treatment of bacterial enteritis caused by E. coli and bacterial pneumonia caused by P. multocida organisms susceptible to Chlortetracycline. (10 mg/lb bodyweight daily) Feed 1.6 oz per 100 pounds bodyweight daily. Treat for not more than 5 days. **WARNING:** Withdrawal 24 hours prior to slaughter. A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal.

CALVES (UP TO 250 lb):

For increased rate of weight gain and improved feed efficiency. (0.1 mg/lb bodyweight daily) Feed 0.016 oz per 100 pounds bodyweight daily. **WARNING:** A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal.

SWINE:

For the treatment of bacterial enteritis caused by E. coli and S. choleraesuis and bacterial pneumonia caused by P. multocida susceptible to Chlortetracycline. Feed continuously for not more than 14 days at a rate to provide 10 mg/lb of bodyweight per day of chlortetracycline.

4720.

Manufactured By:

CHS Inc.

Sioux Falls, SD 57107

www.chsinc.com

50lb (22.68 kg) Net Weight

This feed was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed.